


# XS Light

The XS Light support :  
**design and simplicity without compromise,  
the essentials in a single mount.**



## Adaptable mount +

Designed for all screens between 43 and 65 inches, you can manually adjust the screen height and tilt. The shape of the base ensures high screen stability.

## Offset system +

USB and HDMI ports have been placed inside the mount to facilitate connection..

## + Quick mounting and dismounting

This support has been specially designed to be quickly assembled by a single person.

## + Secure storage

With a lockable compartment with an integrated multi-socket, all your equipment will be secured.

## + Optional

- Power inverter (Backup).
- Selection of color.
- Addition of your logo.
- Mobility.
- Yoo'UP Control & Light.

The XS light has been specially designed to simplify the use of the screens, it brings the necessary for successful meetings and presentations. Perfect for small meeting rooms and classroom.

## MOUNT

- HEIGHT ADJUSTMENT : Manual
- ADJUSTING STROKE : 480 mm
- FURTHER ADJUSTMENT : Inclination
- MATERIALS : Steel, Aluminium and ABS
- POWER SUPPLY : 100-240VAC, 2.8A, 50/60Hz
- MAX POWER CONSUMPTION (W/O TV): 40 W
- IDEAL ENVIRONMENT : 0-40°C, 0-90% relative humidity (without condensation) indoors only
- STANDARD COLORS : Black Carbon and Glacial White Aluminum

## CAPACITY

- MAXIMUM LOAD : 70 kg
- OPTIMAL SCREEN SIZE : 75"
- VESA COMPATIBLE MOUNTING : 200 x 200 up to 600 x 400

## DIMENSIONS & WEIGHT

See technical illustration beside

- HEIGHT : 1830 mm
- WIDTH : 863 mm
- DEPTH : 506 mm
- EMPTY WEIGHT : 50 Kg
- DIMENSIONS OF PACKAGING : Fixed on a pallet 1200 x 800 x 2000 mm

## CONNECTIONS AND EXTENSIONS

- 1 FEMALE USB PORT OUTPUT : 5VD, 3A max
- PERIPHERAL OFFSET : 1 USB + 1 HDMI (front-panel and on-screen connections)

## STORAGE SPACE

- DIMENSIONS : 325 mm (h) x 245 mm (l) x 240 mm (p) (volume exact : 25L)
- SECURITY : Key opening

## OTHER EQUIPMENT

- POWER STRIP : 4 connections

## OPTIONS


- MOBILITY : 6 Wheels
- INVERTER : Autonomous between 5 and 20 minutes based on the screen installed
- PERSONALIZED COLORS RAL (EXCLUDING STANDARD COLORS)
- PERSONALIZED LOGO
- YOOP'UP CONTROL LIGHT

## WARRANTY

- STEEL MOUNT WITH LIFETIME WARRANTY
- 2 YEARS WARRANTY ON THE ELECTRONICS

## CERTIFICATIONS

- CERTIFICATION CE : machine directive (2006/42/CE)
- CERTIFICATION ROHS



	Bottom of the screen on the lowest position	Top of the screen on the highest position
45 inches	1000 mm	1950 mm
55 inches	920 mm	2040 mm
65 inches	860 mm	2100 mm

\* Attention : l'option roulettes rajoute 50 mm de hauteur au support. Position centrale de l'écran à mi-hauteur : 1450 mm







REFERENCE

# XS Light

[contact@yooup.fr](mailto:contact@yooup.fr)

+33 (0)9 72 10 71 25

[www.yooup.fr](http://www.yooup.fr)

All rights reserved. Yoo'Up products and services mentioned here in as well as their respective logos are trademarks or registered trademarks of Yoo'Up. All other product and service names mentioned are the trademarks of the respective owners. All weights and dimensions are approximate. Product specifications are subject to change without prior notification.



## YOO'UP

TAME STEEL WITH STYLE