


XS Switch

The XS Switch support:
the mount created solely for your whiteboards.



Yoo'Up Switch System +

Thanks to a patented rotation system, this mount enables the user to switch from landscape mode without tilt to portrait mode with a 5° tilt. Ideal for use as a whiteboard.

Offset system +

USB and HDMI ports have been placed inside the mount to facilitate connections.

Secure storage +

The XS Switch is equipped with a secure compartment to store your equipment.

+ Demountable mount

The XS Switch stand is fully removable for easy storage when not in use.

+ Foldable back shelf

A shelf is placed at the back to mount a computer.

+ Integrated mobility

Its base has been designed to provide excellent stability to facilitate displacements, like passing through doors.

+ Optional

- Selection of color.
- Addition of your logo.
- Power inverter (Backup).
- Yoo'UP control light.
- Handles.

The XS Switch is designed to exploit the full potential of Digital Paperboards. Perfect as a complement to a video projector or interactive whiteboard, in training rooms or coworking areas.

MOUNT

- HEIGHT ADJUSTMENT : Manuel
- ADJUSTING STROKE : 400 mm
- MATERIALS : Steel, Aluminum and ABS
- POWER SUPPLY : 100-240VAC, 2.8A, 50/60Hz
- MAX POWER CONSUMPTION (W/O TV): 40 W
- IDEAL ENVIRONMENT : 0-40°C, 0-90% relative humidity (without condensation) indoors only
- STANDARD COLORS : Black Carbon and Glacial White Aluminum

CAPACITY

- MAXIMUM LOAD : 40 kg
- SUPPORTED SCREEN SIZES : 65"
- VESA COMPATIBLE MOUNTING: 400 x 400 and 600x400
- OPTIMIZED FOR: SAMSUNG FLIP and BENQ DUO BOARD

DIMENSIONS & WEIGHT

See technical illustration below

- HEIGHT : 1942 mm
- WIDTH : 1350 mm
- DEPTH : 701 mm
- FLOOR SPACE : 0,65 m²
- EMPTY WEIGHT : 50 Kg
- DIMENSIONS OF PACKAGING: Fixed on a pallet 1400 x 800 x 2100 mm

CONNECTIONS AND EXTENSIONS

- 2 FEMALE USB PORT OUTPUT : 5VDC, 3A max
- PERIPHERAL OFFSET : 2 USB + 1 HDMI (front-panel and on-screen connections)

STORAGE SPACE

- DIMENSIONS : 325 mm (h) x 245 mm (w) x 240 mm (d) (exact volume : 25L)
- SECURITY : Key opening

OTHER EQUIPMENT

- ROTATION SYSTEM WITH INCLINATION OF 5° IN WHITEBOARD MODE
- MOBILITY : 4 Wheels
- POWER STRIP : 4 connections
- BACK SHELF : 125 mm x250 mm weight load 10 kg

OPTIONS


- INVERTER : Autonomous between 5 and 20 minutes based on the screen installed
- PERSONALIZED COLORS RAL (EXCLUDING STANDARD COLORS)
- PERSONALIZED LOGO
- HANDLES
- YOO'UP CONTROL LIGHT

WARRANTY

- STEEL MOUNT WITH LIFETIME WARRANTY
- 2 YEARS WARRANTY ON THE ELECTRONICS

CERTIFICATIONS

- CERTIFICATION CE : machine directive (2006/42/CE).
- CERTIFICATION ROHS



	Bottom of the screen on the lowest position	Top of the screen on the highest position
45 inches	1150 mm	2000 mm
55 inches	1070 mm	2090 mm
65 inches	1010 mm	2150 mm

Warning: the wheels option adds 50 mm of height to the mount. Central position of the screen at mid-height: 1600 mm





REFERENCE
XS Switch

contact@yooup.fr +33 (0)9 72 10 71 25 www.yooup.fr

All rights reserved. Yoo'Up products and services mentioned here in as well as their respective logos are trademarks or registered trademarks of Yoo'Up. All other product and service names mentioned are the trademarks of the irrespctive owners. All weights and dimensions are approximate. Product specifications are subject to change without prior notification.

 **YOO'UP**
TAME STEEL WITH STYLE