

Smart
screen mounts
to elevate your
meeting experience





ABOUT US

We design and manufacture a range of innovative and intelligent screen stands. Our Yoo'UP products simplify the user's experience to improve productivity and collaboration amid your teams.

Our refined mounts respect your interior space and guarantee an optimal use, without requiring any drilling.

By integrating a connected control interface to our motorized and mobile mounts, the technology is finally adapted to man.

Our design office also imagines tailor-made solutions that are perfectly adapted to your needs.







HEIGHT
ADJUSTABLE ASSISTED
OR ELECTRIC



DESIGNED FOR
PEOPLE WITH
REDUCED MOBILITY



NO DRILLING REQUIRED





EV01

The Evo1 support:

your screens finally have a motorized and intelligent mount.



Screen attachment up to 98"

Designed for all screens between 56 and 98 inches, this mount is specially designed for places where the wall structure cannot mount heavy loads.



The Yoo'UP Control allows you to save time thanks to the simplified management of all your tools: launching, changing the video source, managing the volume and brightness of the screen, etc.

Customize the control interface using the Yoo'UP Manager.

The Yoo'UP app allows access to all the features offered by the interface.

Motorized height adjustment

The mount offers a vertical screen adjustment with a stroke of 400 mm that adapts to any user (people with reduced mobility, children) and to any use. The EVO1 is equiped with a motorization that allows a quick and discreet adjustment.

+ Secure storage

With a lockable compartment with an integrated multisocket, the Evo1 allows a simple and safe storage of all your equipment.

+ Ergonomic base

Thanks to its discreet base, the screen mount allows easy access. Designed for people with reduced mobility.

Perfect for large interactive screens.

The Evo1 will add value to your conference, training and meeting rooms thanks to its elegant design and innovative technology.



- Selection of color.
- Addition of your logo.
- Mobility.
- Power inverter (Backup).



EVO1

contact@yooup.fr

+33 (0)9 72 10 71 25

www.yooup.fr



TECHNICAL SPECIFICATIONS

MOUNT

• HEIGHT ADJUSTMENT : Motorized

• ADJUSTING STROKE: 400 mm

• MATERIALS : Steel, Aluminum and ABS

• POWER SUPPLY: 100-240VAC, 2.8A, 50/60HZ

• MAX POWER CONSUMPTION (W/O TV)): 156W

ullet IDEAL ENVIRONMENT : 0-40°C, 0-90% relative humidity (without

condensation) indoors only

• STANDARD COLORS: Black Carbon and Glacial White Aluminum

CAPACITY

• MAXIMUM LOAD: 130 kg (without wheels), 100 kg (with wheels).

• OPTIMAL SCREEN SIZE: 98" (without wheels), 86" (with wheels).

• VESA COMPATIBLE MOUNTING: 300 x 300 up to 800 x 600

DIMENSIONS & WEIGHT

See the technical illustration beside

• HEIGHT : 1977 mm • WIDTH : 1133 mm

• DEPTH : 665 mm

EMPTY WEIGHT: 80 KG

• DIMENSIONS OF PACKAGING: Fixed on a pallet 800 x 1200 x 2200 mm

MOTORIZATION

• MOTOR : Electric

• POWER : 75W

MAX SPEED : 25 MM/SNOISE LEVEL : < 65 DB

YOO'UP Control

• SCREEN SIZE: 7 inches

• RESOLUTION: 800X480

• TECHNOLOGY: Capacitive touch

• COMMUNICATION PROTOCOL WITH EQUIPMENT : RS232

• WIRELESS COMMUNICATION: Wi-Fi Connexion 802.11ac, Bluetooth

Low Energy

RFID SENSOR INTEGRATED

STORAGE SPACE

• DIMENSIONS: 600mm(h) x 210 mm(w) x 360 mm(d)

(exact volume : 45L)

• SECURITY: Key opening

OTHER EQUIPMENT

• POWER STRIP: 4 connections

• BADGE : Communication protocol RFID

OPTIONS

• WHEELS: 6 Wheels

• INVERTER : Autonomous between 5 and 20 minutes

based on the screen installed

• PERSONALIZED COLORS RAL (EXCLUDING STANDARD

COLORS)

PERSONALIZED LOGO

WARRANTY

STEEL MOUNT WITH LIFETIME WARRANTY


• 2 YEARS WARRANTY ON THE ELECTRONICS


CERTIFICATIONS

 CERTIFICATION CE: Machine directive (2006/42/CE), directive CEM (2014/30/UE)

• CERTIFICATION ROHS








	Bottom of the screen on the lowest position	Top of the screen on the highest position
55 inches	1020 mm	2140 mm
65 inches	960 mm	2200 mm
70 inches	940 mm	2220 mm
75 inches	900 mm	2260 mm
86 inches	790 mm	2370 mm
98 inches	720 mm	2440 mm

* Warning, the wheels option adds 50 mm of height to the mount. Central position of the screen at half height: 1600 mm.









EVOI

contact@yooup.fr

+33 (0)9 72 10 71 25

www.yooup.fr



The Oyoo support:

the most discreet and operational on the market.





Demountable mount

The Oyoo stand is fully removable for easy storage when not in use.

Front camera tablet

Equiped with a small front shelf to put a camera for videoconferences.

Practical storage

A convenient space enables to store your small equipment (BYOD, wireless system, ...) and to hide your cables.

This support will fit with refinement and discretion in any interior. Its design will add a luxurious touch while limiting the space required.

Its storage will allow you to easily integrate small click & share or mini pc boxes.



- Yoo'UP Control light.
- Selection of color.
- Addition of your logo.



REFERENCE

contact@yooup.fr

+33 (0)9 72 10 71 25

www.yooup.fr



MOUNT

• HEIGHT ADJUSTEMENT : Manual • ADJUSTING STROKE : 300 mm

• MATERIALS : Steel, Aluminium and ABS

• STANDARD COLORS: Black Carbon and Glacial White Aluminum

CAPACITY

• SUPPORTED SCREEN SIZES: Up to 70"

MAXIMUM LOAD WITH WALL FIXATION SCREW: 55 kg
 MAXIMUM LOAD WITHOUT WALL FIXATION SCREW: 40 kg

OPTIMAL SCREEN SIZE: 60"

• VESA COMPATIBLE MOUNTING: 200 up to 600

DIMENSIONS & WEIGHT

See technical illustration beside

HEIGHT: 1778 mm
WIDTH: 820 mm
DEOTH: 298 mm
EMPTY WEIGHT: 16 Kg

• DIMENSIONS OF PACKAGING: 1850 x 350 x 200 mm

CONNECTIONS AND EXTENSIONS

• PERIPHERAL OFFSET: 1 USB + 1 HDMI (front-panel and on-screen connections)

STORAGE SPACE

• **DIMENSIONS**: 250 mm (h) x 90 mm (l) x 156 mm (p)

• CLOSING OF HATCHES: Magnetic system

OTHER EQUIPMENT

• SHELF: 125 mm x 250 mm

• MAX LOAD: 3 kg

WALL MOUNT

POWER STRIP AND EXTENSION CORD

OPTIONS

YOO'UP CONTROL LIGHT

 PERSONALIZED COLORS RAL (EXCLUDING STANDARD COLORS)

PERSONALIZED LOGO


WARRANTY

- STEEL MOUNT WITH LIFETIME WARRANTY
- 2 YEARS WARRANTY ON THE ELECTRONICS

CERTIFICATIONS

• CERTIFICATION CE: machine directive (2006/42/CE)





	Bottom of the screen on the lowest position	Top of the screen on the highest position
45 inches	980 mm	1830 mm
55 inches	800 mm	1810 mm

Central position of the screen at half height: 1550 mm.













contact@yooup.fr

+33 (0)9 72 10 71 25

www.yooup.fr



XS Light

The XS Light support:

design and simplicity without compromise, the essentials in a single mount.



Adaptable mount \oplus

Designed for all screens between 43 and 65 inches, you can manually adjust the screen height and tilt. The shape of the base ensures high screen stability.



Quick mounting and dismounting

> This support has been specially designed to be quickly assembled by a single person.

Offset system (+)

USB and HDMI ports have been placed inside the mount to facilitate connection.



With a lockable compartment with an integrated multi-socket, all your equipment will be secured.

The XS light has been specially designed to simplify the use of the screens, it brings the necessary for successful meetings and presentations. Perfect for small meeting rooms and classroom.



- Power inverter (Backup).
- Selection of color.
- Addition of your logo.
- Yoo'UP Control & Light



XS Light

contact@yooup.fr

+33 (0)9 72 10 71 25

www.yooup.fr



REF. YOOUP-XSLIGHT

MOUNT

• HEIGHT ADJUSTMENT : Manual

• ADJUSTING STROKE: 480 mm • FURTHER ADJUSTMENT : Inclination

• MATERIALS : Steel, Aluminium and ABS

• POWER SUPPLY: 100-240VAC, 2.8A, 50/60Hz

 MAX POWER CONSUMPTION (W/O TV): 40 W • IDEAL ENVIRONMENT : 0-40°C, 0-90% relative humidity (without

condensation) indoors only

• STANDARD COLORS: Black Carbon and Glacial White Aluminum

CAPACITY

• MAXIMUM LOAD : 70 kg • OPTIMAL SCREEN SIZE: 75"

• VESA COMPATIBLE MOUNTING: 200 x 200 up to 600 x 400

DIMENSIONS & WEIGHT

See technical illustration beside

• HEIGHT: 1830 mm • WIDTH: 863 mm

• **DEPTH** : 506 mm • EMPTY WEIGHT: 50 Kg

• DIMENSIONS OF PACKAGING : Fixed on a pallet

1200 x 800 x 2000 mm

CONNECTIONS AND EXTENSIONS

• 1 FEMALE USB PORT OUTPUT: 5VD, 3A max

• PERIPHERAL OFFSET: 1 USB + 1 HDMI (front-panel and on-screen

connections)

STORAGE SPACE

• **DIMENSIONS**: 325 mm (h) x 245 mm (l) x 240 mm (p)

(volume exact: 25L) • **SECURITY** : Key opening

OTHER EQUIPMENT

• POWER STRIP: 4 connections

OPTIONS

• MOBILITY: 6 Wheels

• INVERTER: Autonomous between 5 and 20 minutes

based on the screen installed

PERSONALIZED COLORS RAL (EXCLUDING STANDARD

COLORS)

PERSONALIZED LOGO

YOO'UP CONTROL LIGHT

WARRANTY


- STEEL MOUNT WITH LIFETIME WARRANTY
- 2 YEARS WARRANTY ON THE ELECTRONICS


CERTIFICATIONS

• CERTIFICATION CE: machine directive (2006/42/CE)

CERTIFICATION ROHS







	Bottom of the screen on the lowest position	Top of the screen on the highest position
45 inches	1000 mm	1950 mm
55 inches	920 mm	2040 mm
65 inches	860 mm	2100 mm

^{*} Attention : l'option roulettes rajoute 50 mm de hauteur au support. Position centrale de l'écran à mi-hauteur : 1450 mm







XS Light

contact@yooup.fr

+33 (0)9 72 10 71 25

www.yooup.fr

YOO'UP

XS Pro

The XS Pro support:

a mount at the height of your ambitions.



Demountable mount (+)

The XS PRO stand is fully removable for easy storage when not in use.

Control interface



The Yoo'UP Control allows you to save time thanks to the simplified management of all your tools: launching, changing the video source, managing the volume and brightness of the screen, etc.

Customize the control interface using the Yoo'UP Manager.

The Yoo'UP app allows access to all the features offered by the interface.

Secure storage

The XS PRO is equipped with a secure compartment to store your equipment.

Assisted height adjustment

The XS PRO allows quick and effortless adjustment of the screen height to suit any user (people with reduced mobility, children) and any use.

Back shelf

A foldable shelf is placed at the back to support a computer.

Offset system

USB and HDMI ports have been placed inside the mount to facilitate connections.

Integrated mobility

Its base has been designed to provide excellent stability to facilitate displacements, like passing through doors.

Impress your collaborators with an innovative and ergonomic support created in order to optimize the quality of meetings, seminars and stays.



- Selection of color.
- Addition of your logo.
- Power inverter (Backup).



XS Pro

contact@yooup.fr

+33 (0)9 72 10 71 25

www.yooup.fr



TECHNICAL SPECIFICATIONS

MOUNT

- HEIGHT ADJUSTMENT : Assisted
- ADJUSTING STROKE: 300 mm
- FURTHER ADJUSTMENT : Inclination
- MATERIALS : Steel, Aluminum and ABS
- POWER SUPPLY: 100-240VAC,
 MAX POWER CONSUMPTION (W/O TV): 40 W
- IDEAL ENVIRONMENT : 0-40°C, 0-90% relative humidity (without condensation) indoors only
- STANDARD COLORS: Black Carbon and Glacial White Aluminum

CAPACITY

- MAXIMUM LOAD: 60 kg
- SUPPORTED SCREEN SIZES: 70"
- VESA COMPATIBLE MOUNTING: 200 x 200 up to 600 x 400

DIMENSIONS & WEIGHT

See technical illustration beside

- **HEIGHT** : 1894 mm
- WIDTH: 863 mm
- **DEPTH** : 506 mm
- EMPTY WEIGHT: 50 Kg
- DIMENSIONS OF PACKAGING : Fixed on a pallet

1200 x 800 x 2000 mm

YOO'UP Control

- SCREEN SIZE : 7 inches
- RESOLUTION: 800x480 • TECHNOLOGY: Capacitive touch
- COMMUNICATION PROTOCOL

WITH EQUIPMENT: RS232

• WIRELESS COMMUNICATION: Wi-Fi Connexion 802.11ac, Bluetooth

Low Energy

RFID SENSOR INTEGRATED

CONNECTIONS AND EXTENSIONS

- 1 FEMALE USB PORT OUTPUT: 5VDC, 3A max
- PERIPHERAL OFFSET: 1 USB + 1 HDMI (front-panel and on-screen connections)

STORAGE SPACE

• DIMENSIONS: 325 mm (h) x 245 mm (l) x 240 mm (p) (volume exact: 25L)

• SECURITY : Key opening

OTHER EQUIPMENT

- POWER STRIP: 4 connections
- MOBILITY: 6 Wheels
- BADGE: Communication protocol RFID
- BACK SHELF: 125 mm x 250 mm, max load 10 kg

OPTIONS

- INVERTER: Autonomous between 5 and 20 minutes based on the screen installed
- PERSONALIZED COLORS RAL (EXCLUDING STANDARD COLORS)
- PERSONALIZED LOGO


WARRANTY

- STEEL MOUNT WITH LIFETIME WARRANTY
- 2 YEARS WARRANTY ON THE ELECTRONICS

CERTIFICATIONS

- CERTIFICATION CE: machine directive (2006/42/CE), directive CEM (2014/30/UE)
- CERTIFICATION ROHS





	Bottom of the screen on the lowest position	Top of the screen on the highest position
45 inches	1180 mm	2130 mm
55 inches	1100 mm	2210 mm
65 inches	1030 mm	2270 mm

Central position of the screen at half height: 1550 mm









XS Pro

contact@yooup.fr

+33 (0)9 72 10 71 25

www.yooup.fr



XS Switch

The XS Switch support:

the mount created solely for your whiteboards.





Yoo'Up Switch System 🛨

Thanks to a patented rotation system, this mount enables the user to switch from landscape mode without tilt to portrait mode with a 5° tilt. Ideal for use as a whiteboard.

Offset system (+)

USB and HDMI ports have been placed inside the mount to facilitate connections.

Secure storage (+)

The XS Switch is equipped with a secure compartment to store your equipment.



4 (

Demountable mount

The XS Switch stand is fully removable for easy storage when not in use.



A shelf is placed at the back to mount a computer.

Integrated mobility

Its base has been designed to provide excellent stability to facilitate displacements, like passing through doors.

The XS Switch is designed to exploit the full potential of Digital Paperboards. Perfect as a complement to a video projector or interactive whiteboard, in training rooms or coworking areas.



- Selection of color.
- Addition of your logo.
- Power inverter (Backup).
- Yoo'UP control light.
- Handles



XS Switch

contact@yooup.fr

+33 (0)9 72 10 71 25

www.yooup.fr



TECHNICAL SPECIFICATIONS

MOUNT

• HEIGHT ADJUSTMENT : Manuel • ADJUSTING STROKE : 400 mm

• MATERIALS : Steel, Aluminum and ABS

• POWER SUPPLY: 100-240VAC, 2.8A, 50/60Hz

• MAX POWER CONSUMPTION (W/O TV): 40 W

• IDEAL ENVIRONMENT : 0-40°C, 0-90% relative humidity (without condensation) indoors only

• STANDARD COLORS: Black Carbon and Glacial White Aluminum

CAPACITY

• MAXIMUM LOAD : 40 kg

• SUPPORTED SCREEN SIZES: 65"

• VESA COMPATIBLE MOUNTING: 400 x 400 and 600x400

• OPTIMIZED FOR: SAMSUNG FLIP and BENQ DUO BOARD

DIMENSIONS & WEIGHT

See technical illustration below

• **HEIGHT** : 1942 mm

• WIDTH: 1350 mm

DEPTH: 701 mm
 FLOOR SPACE: 0,65 m²

• EMPTY WEIGHT : 50 Kg

• DIMENSIONS OF PACKAGING: Fixed on a pallet

1400 x 800 x 2100 mm

CONNECTIONS AND EXTENSIONS

• 2 FEMALE USB PORT OUTPUT : 5VDC, 3A max

• PERIPHERAL OFFSET: 2 USB + 1 HDMI (front-panel and on-screen connections)

STORAGE SPACE

• DIMENSIONS: 325 mm (h) x 245 mm (w) x 240 mm (d)

(exact volume : 25L)SECURITY : Key opening

OTHER EQUIPMENT

• ROTATION SYSTEM WITH INCLINATION OF 5° IN WHITEBOARD MODE

• MOBILITY: 4 Wheels

• POWER STRIP: 4 connections

• BACK SHELF: 125 mm x250 mm weight load 10 kg

OPTIONS

• INVERTER: Autonomous between 5 and 20 minutes based on the screen installed

PERSONALIZED COLORS RAL (EXCLUDING STANDARD COLORS)

PERSONALIZED LOGO

HANDLES

YOO'UP CONTROL LIGHT

WARRANTY


- STEEL MOUNT WITH LIFETIME WARRANTY
- 2 YEARS WARRANTY ON THE ELECTRONICS

CERTIFICATIONS

• CERTIFICATION CE: machine directive (2006/42/CE).

CERTIFICATION ROHS





	Bottom of the screen on the lowest position	Top of the screen on the highest position
45 inches	1150 mm	2000 mm
55 inches	1070 mm	2090 mm
65 inches	1010 mm	2150 mm

Warning: the wheels option adds 50 mm of height to the mount. Central position of the screen at mid-height: 1600 mm







XS Switch

contact@yooup.fr

+33 (0)9 72 10 71 25

www.yooup.fr

YOO'UP

TAME STEEL WITH STYLE

EYOO

The Eyoo support:

design, autonomy and mobility, the future in your hands.



Autonomous stand

With integrated Batterys, the Eyoo offers a power autonomy of 6 to 8 hours to facilitate its use. It moves from room to room, without requiring any power connections.



Eyoo is designed with a foldable shelf in the back and a removable front shelf to place and connect a computer or a camera, with a secure compartment to store your equipments.



Its base ensures excellent stability and has been designed to pass through doors. Thanks to its ergonomic handles, your screens are finally easy to manipulate.

Offset system

USB and HDMI ports have been placed inside the mount to facilitate connections.

With its energy autonomy of up to 8 hours, Eyoo support is perfect for any professional event. Perfect for use in hospitals, workshops, trade shows and training rooms.



- Yoo'UP Control light.
- Yoo'UP Control.
- Selection of color.
- Addition of your logo.
- Adjustment



EYOO

contact@yooup.fr

+33 (0)9 72 10 71 25

www.yooup.fr



TECHNICAL SPECIFICATION

MOUNT

- HEIGHT ADJUSTMENT : Manual
- ADJUSTING STROKE: 400 mm
- FUTHER ADJUSTEMENT : Inclination
- MATERIALS : Steel, Aluminium et ABS
- IDEAL ENVIRONMENT: 0-40°C, 0-90% relative humidity (without condensation) indoors only
- STANDARD COLORS: Black Carbon textured and Glacial White Aluminium

CAPACITY

- MAXIMUM LOAD: 70 kg
- SUPPORTED SCREEN SIZES: 70"
- VESA COMPATIBLE MOUNTING: 200 x 200 up to 600 x 400

DIMENSIONS & WEIGHT

See the technical illustration beside

- **HEIGHT** : 1977 mm • WIDTH: 1354 mm
- **DEPTH** : 694 mm
- EMPTY WEIGHT: 75 Kg
- DIMENSIONS OF PACKAGING: Fixed on a pallet 1400 x 800 x 2100 mm

ENERGY

- BATTERY: Battery pack LiFeP04
- THEORETICAL CAPACITY: 50A.h
- AVERAGE THEORETICAL AUTONOMY (PROFESSIONAL SCREEN)* : 8h (*Professional screen of 55 inches)
- AVERAGE THEORETICAL AUTONOMY (INTERACTIVE SCREEN)
- : 6h (**Interactive screen of 55 inches)
- CHARGE DURATION: 5h
- OPERATING TEMPERATURE: -20°C/+60°
- RECHARGING TEMPERATURE: -20°C/+60°C

MOBILITY

- 4 WHEELS WITH BRAKE
- HANDLES

SHELF

- DIMENSIONS: 300 mm x 200 mm, max load 10 kg
- LOCATION : Back or front • SURFACE : Gripping

OTHER EQUIPMENT

- SECURED STORAGE SPACE
- 1INTEGRATED SOCKET

OPTIONS

- YOO'UP CONTROL / YOO'UP CONTROL LIGHT
- PERSONALIZED COLORS RAL (EXCLUDING STANDARD
- PERSONALIZED LOGO

WARRANTY

- STEEL MOUNT WITH LIFETIME WARRANTY
- 2 YEARS WARRANTY ON THE ELECRONICS


CONNECTION AND EXTENSIONS

- 1 USB OUTPUT: 5VDC, 3A MAX
- 1 USB OUTPUT: 5VDC, 1A MAX
- DEVICE OUTPUTS: 2 USB + 1 HDMI (front panel jacks and screen connections)

CERTIFICATIONS

- CERTIFICATION CE: machine directive (2006/42/CE). CEM directive (2014/30/UE)
- CERTIFICATION ROHS





	Bottom of the screen on the lowest position	Top of the screen on the highest position
45 inches	1180 mm	2130 mm
55 inches	1100 mm	2210 mm
65 inches	1030 mm	2270 mm

Central position of the screen at half height: 1550 mm











RÉFÉRENCE EYOC

contact@yooup.fr

+33 (0)9 72 10 71 25

www.yooup.fr



Yoo'UP Control

We digitalize our screen stands to simplify and make the user experience unique.



Our Yoo'UP Control system is secured (user and administrator access code, with RFID badge) and customizable:

- Change the language
- Select the brand of your screen
- Select and rename in one click your sources
- Add your logo and company name
- and much more!

Immediate and intuitive handling of your interactive systems. No more need for a TV remote control, choose a unique and secure control system compatible with all brands.

In 1 click interact with your professional TV and your mount: change sources, access directly to the whiteboard, mute the sound or adjust the height of your screen to yoursize for optimal use (Screen adjustment for people with reduced mobility).

Help your collaborators or your customers to immediately take in hand the interactive systems (TV - BYOD - PC - videoconference...).












Yoo'UP Control



Control your digital ecosystem from your seat and with your mobile phone




contact@yooup.fr

+33 (0)9 72 10 71 25

www.yooup.fr




Yoo'UP Manager



Manage your Yoo'UP Control online!

Whether you have a control system or a fleet of Yoo'UP Control, get direct and simple access to information from your computer or tablet.

- Access to the management of users and administrators
- Update your Yoo'UP Control with the latest versions
- Monitor the access control
- Customize your Control(s)



Options



Foldable Rear Tablet PC



Inverter for our XS mounts



Inverter for our EVO1 mounts



Yoo'UP Control light + mobile application (for XS, Eyoo and Oyoo)



Wide choice of colours and customization of your mount! Custom paint or RAL.

Vinyl design with your graphic identity.



Ergonomic handle. Allows optimal movement of your stand

















+33 (0)9 72 10 71 25



contact@yooup.fr



www.yooup.fr



HEADQUARTERS AND R&D

64 boulevard Niels Bohr, 69621 Villeurbanne

SHOWROOM LYON

33 rue de la Bourse, 69002 Lyon

SHOWROOM PARIS (BY APPOINTMENT)

14 Rue Chaptal, 92300 Levallois-Perret







